NEWS AND REVIEWS INDEX TO VOLUME 55

Author and Subject Index

AUTHOR

ACETO, N.C., *see* Craig, J.C.
ALECK, J.R. and M.D. HARRISON. The influence of inoculum density and environment on the development of potato blackleg, 479-494.
ALLEN, T.C., *see* Locatelli, E.A.
ANDERSON, R.S. and E.E. EWING. Regulations of Potato Tuber Invertase-Proteinaceous Inhibitor Binding by Sugars and Salts, 371, (abst).
ANDREW, C.O., *see* Weigand, K.B.
APPLEBY, A.P., *see* Locatelli, E.A.
ARTECA, R., *see* Shekhar, V.C.
AUGUSTIN, J., *see* Pavek, J.J.; Toma, R.B.; and True, R.H.
AUGUSTIN, J., S.R. JOHNSON, C. TEITZEL, R.H. TRUE, J.M. HOGAN, R.B. TOMA, R.L. SHAW and R.M. DEUTSCH. Changes in the nutrient composition of potatoes during home preparation: II. Vitamins. 653-662.
BAKKER-ARKEMA, F., *see* Hylmo, B., Lerew, L.E.
BAKKER-ARKEMA, F., L. LEREW and B. HYLMÖ. Bulk Storage of Potatoes — Research Needs, 371, (abst).
BARDEN, E.S., *see* True, R.H.
BAROUDI, A., *see* Gould, W.A.
BISHOP, J.C. and D.W. GRIMES. Precision tillage effects on potato root and tuber production, 65-71.
BOULDIN, D.R., *see* Meisinger, J.J.
BOWMAN, E.K. Better Utilization of Manpower and Equipment in Spring-Crop Area Potato Packing-house, 371-2, (abst).
BRYAN, J.E., *see* Roca, W.M.
CARGILL, B.F. and H.S. POTTER. Influence of Prestorage Chemical Treatments on Out-of-Storage Quality, 372, (abst).
CASH, J. Potato Chips from Individually Quick Frozen (IQF) Potato Slices, 372, (abst).
CHANDRA, S. and N.I. MONDY. Quality of Potato Tuber as Affected by Cold Temperatures, 372, (abst).
CHASE, R., *see* Ledebuhr, R.L.
CHENG, F.C. and P. MUNETA. Lipid composition of potatoes as affected by storage and potassium fertilization, 441-448.
COLE, C.V., *see* Soltanpour, P.N.
COLE, H., JR., *see* Latin, R.X.
CORSINI, D.L., *see* Pavek, J.J.
CRAIG, J.C., JR., J.F. SULLIVAN, R.P. KONSTANCE, N.C. ACETO and W.K. HEILAND. Continuous Explosion-Puffing of Potatoes, 373, (abst).
CREIGHTON, J.F., *see* Selleck, G.W.
CROZIER, J.A., *see* Ito, P.J.
CURWEN, D. Irrigation Management for Potatoes, 373-4, (abst).
CURWEN, D. and M.D. GROSKOPP. Effects of PCNB and Irrigation Programs on the Incidence of Scab (*Streptomyces scabies*) on Russet Burbank Potatoes, 373, (abst).
DALLIMORE, C.E., *see* McDole, R.E.; Pavek, J.J.
DAVIS, J.R., *see* Pavek, J.J.
DESBOROUGH, S., *see* Snyder, J.
DEUTSCH, R.M., *see* Augustin, J.
de ZOETEN, G.A., *see* Hepp, R.F.
DOUGLAS, D.R., *see* Pavek, J.J.
DWELLE, R.B., *see* McDole, R.E.

DWELLE, R.B. and G.F. STALLKNECHT. Respiration and sugar content of potato tubers as influenced by storage temperature, 561-571.
EASTON, G.D. Chemical Control of Ring Rot Bacteria Contaminating Wooden, Metal and Potato Seedpiece Surfaces, 374, (abst).
ESPINOZA, N.O., *see* Roca, W.M.
ESTRADA, R.N. Behavior of *Solanum curtilobum* Juz et Buk in Crosses to Tetraploid Cultivated Potatoes, 374, (abst).
EWING, E.E., *see* Anderson, R.S.; Kahn, B.A.
EWING, E.E. Critical photoperiods for tuberization: A screening technique with potato cuttings, 43-53.
FENNEMA, O., *see* Woychik, R.P.
FINNEY, E.E., JR. AND K.H. NORRIS. X-ray scans for detecting hollow heart in potatoes, 95-105.
FITZPATRICK T.J., J.D. MacKENZIE and P. GREGORY. Modifications of the comprehensive method for total glycoalkaloid determination, 247-248.
FORSYTH, F.R., *see* Poapst, P.A.
FRANK, J.A., *see* Leach, S.S.; Storch, R.H.; Webb, R.E.
FRANK, J.A. and S.S. LEACH. The Effect of Seaweed on the Rhizoctonia Disease of Potatoes, 374-5, (abst).
FRENCH, E.R., *see* de Lindo, L.
GARNER, J.G., *see* Pavek, J.J.
GIBSON, R.W. Resistance in glandular-haired wild potatoes to flea beetles, 595-599.
GOTH, R.W. and P. SEMENIUK. Effects of Near Ultraviolet Irradiation on Leaves of *Chenopodium quinoa* Plants Inoculated with Potato Virus S, 375, (abst).
GOULD, W.A., A. BAROUDI and B. HAIR. A Study of Some of the Factors Affecting the Quality of Potato Chips, 375-6, (abst).
GOULD, W.A., B. HAIR and A. BAROUDI. Evaluation of Potato Cultivars Before and After Storage for Chipping, 376, (abst).
GRAVES, B., *see* Webb, R.E.
GREGORY, P., *see* Fitzpatrick, T.J. and Tingey, W.M.
GRIMES, D.W., *see* Bishop, J.C.
GROSKOPP, M.D., *see* Curwen, D.
HAIR, B., *see* Gould, W.A.
HALLEE, N.D. and S.E. SIDES. Retail shipping/display unit for Maine potatoes, 307-318.
HANNEMAN, JR., R.E., *see* Johnston, S.A.; Landeo, J.A.; and Sanford, J.C.
HANNEMAN, R.E., JR. Possible Bridge Species for Series Etuberosum Species, 376, (abst).
HANNEMAN, R.E., JR. and R.W. RUHDE. Haploid extraction in *Solanum tuberosum* group Andigena, 259-263.
HANNEMAN, R.E., JR. and R.W. RHUDE. Comparison of Bulk Populations of Species and Species-Haploid Hybrids for Tuberization and Yield with Generation, 377, (abst).
HANSEN, C.M., *see* Ledebuhr, R.L.
HARRISON, M.D., *see* Aleck, J.R.
HARTZ, T.K. and F.D. MOORE III. Prediction of potato yield using temperature and insolation data, 431-439.
HEILAND, W.K., *see* Craig, J.C.
HENNINGER, M.R., *see* Webb, R.E.
HEPLER, P.R., *see* Manzer, F.E.
HEPP, R.F. and G.A. DE ZOETEN. Purification of potato leaf roll virus and an evaluation of methods for its diagnosis, 125-139.
HOGAN, J.M., *see* Augustin, J.; Toma, R.B.; and True, R.H.
HOLM, D.G. and R.E. NYLUND. The influence of potassium fertilizer application on tuber yield and mineral element content of potato petioles during the growing season, 265-273.
HOLM, D.G. and R.E. NYLUND. Use of mineral element content of potato petioles for predicting yield potential, 291-305.
HOLM, D.G. and R.E. NYLUND. Use of Mineral Element Content of Potato Petioles for Predicting Yield Potential, 377, (abst).

HOOKER, W.J., P.N. NIMNOI, W. TAI and T.C. YANG. Germination Reduction in PSTV Infected Tomato Pollen, 378, (abst).
HOOKER, W.J. and T.C. Yang. Immune *Solanum acaule* for Eliminating PVX in Mixed Virus Infections, 378, (abst).
HUNTER, J.H. Predicting Respiration and Weight Loss Rates of Potatoes in Storage, 378-9, (abst).
HYDE, G.M., W.M. IRITANI, and R.E. THORNTON. Potato Tuber Damage, Field to Storage, 379, (abst).
HYLMÖ, B., *see* Lerew, L.E.
HYLMÖ, B., A. JOHANSSON and F. BAKKER-ARKEMA. Bulk Storage Research in Sweden, 379, (abst).
IRITANI, W.M., *see* Hyde, G.M.; Owings, T.R.; Shekhar, V.C.
IRITANI, W.M. Factors Influencing Sugar Development in Stored Potatoes, 379-80, (abst).
IRITANI, W.M. and L. WELLER. Influence of low fertility and vine killing on sugar development in apical and basal portions of Russet Burbank potatoes, 239-246.
IRITANI, W.M. and L.D. WELLER. Factors influencing reconditioning of Russet Burbank potatoes, 425-430.
ITO, P.J., J.A. CROZIER and T.T. SEKIOKA. Pele: A new, late bright resistant potato for the sub-tropics, 573-576.
IWANAGA, M., *see* den Nijs, T.P.M.
JENNINGS, S., *see* Muneta, P.
JOHANSSON, A., *see* Hylmo, B.
JOHNSON, S.R., *see* Augustin, J.; True, R.H.
JOHNSTON, G.R., W.B. TOWILL and R.G. ROWBERRY. Nipigon: A new, high-yielding, early sizing table potato, 107-110.
JOHNSTON, S.A. and R.E. HANNEMAN, JR. Endosperm Balance Factors in Some Tuber-Bearing Solanum Species, 380, (abst).
JONES, E.D., *see* Meisinger, J.J.
KAHN, B.A. and E.E. EWING. Modification of Early Season Potato Growth with Plastic Mulch and Tunnels, 380-1, (abst).
KHAN, M.A. and S.A. SLACK. Detection of Potato Virus S and Potato Virus X in Wisconsin by the Latex Agglutination Test, 381, (abst).
KHAN, M.A. and S.A. SLACK. Studies on the sensitivity of a latex agglutination test for the serological detection of potato virus S and potato virus X in Wisconsin, 627-637.
KELMAN, A., *see* de Lindo, L; Phillips, J.A.; Slack, S.A.
KNUTSON, K.W., *see* Peterson, A.C., Jr.
KOEPSELL, P.A., *see* Locatelli, E.A.
KONSTANCE, R.P. *see* Craig, J.C.
KUNKEL, R., *see* Pavek, J.J.
LANDEO, J.A. and R.E. HANNEMAN, JR. The Crossability of *Solanum tuberosum* Gp. Andigena Haploids, 381, (abst).
LANGILLE, A.R., *see* Mauk, C.S.
LATIN, R.X., D.R. MacKENZIE and H. COLE, JR. Crop loss prediction tables for potato late blight epidemics, 541-548.
LEACH, S.S., *see* Frank, J.A.
LEACH, S.S. Quality of stored potatoes improved by chemical treatment, 155-159.
LEACH, S.S. Some storage characteristics of potato cultivar Atlantic, 677-684.
LEACH, S.S. and J.A. FRANK. Compatibility of Thiabendazole with Captan and TCNB on White Potatoes, 382, (abst).
LEDEBUHR, R.L., C.M. HANSEN, R. CHASE and N. THOMPSON. Self-Propelled Potato Harvester for Field Research Plots, 382, (abst).
LECRONE, S.H., *see* Smilowitz, Z.S.
LEREW, L.E., *see* Bakker-Arkema, F.
LEREW, L.E., F.W. BAKKER-ARKEMA and B. HYLMÖ. Bulk Storage of Potatoes — Amounts and Frequency of Air Distribution, 382, (abst).
LEREW, L.E., F.W. BAKKER-ARKEMA and B. HYLMÖ. Bulk Storage of Potatoes — Suberization and Cooling, 382-3, (abst).
LEUE, E.F., *see* den Nijs, T.P.M.

deLINDO, L., E.R. FRENCH and A. KELMAN. *Erwinia* spp. Pathogenic to Potatoes in Peru, 383, (abst).
LIPE, W.N. and C.W. WENDT. Effects of antitranspirants on yield, grade distribution, and water use of potatoes, 203-209.
LOCATELLI, E.A., T.C. ALLEN, P.A. KOEPSELL and A.P. APPLEBY. Diagnosis of tobacco rattle virus (TRV) and other viruses in weed and rotation crops in potato fields, 249-257.
LULAI, E.C. and P.H. ORR. Chip Yield and Oil Content Relationships with Specific Gravity Ranging to 1.110 from Norchip Potatoes, 383, (abst).
MACGILLIVRAY, M.E. and P.N. MOSHER. Pest Management in New Brunswick, I — The Approach, 383-4, (abst).
MACK, T.P., *see* Smilowitz, Z.S.
MacKENZIE, D.R., *see* Latin, R.X.
MacKENZIE, D.R. and H.G. SCHIMMELPFENNIG. Development of a Microcomputer Unit for Forecasting Potato Late Blight Using the Pennsylvania State University's Blitecast System, 384-5, (abst).
MACKENZIE, J.D., *see* Fitzpatrick, T.J.; Tingey, W.M.
MAGNUSON, J.P., *see* Shekhar, V.C.
MANZER, F.E., *see* Storch, R.H.
MANZER, F.E., D.C. MERRIAM and P.R. HEPLER. Effects of potato vurus S and two strains of potato virus X on yields of Russet Burbank, Kennebec, and Katahdin cultivars in Maine, 601-609.
MARTIN, M.W. Field Seeding of True Potato Seed, 385, (abst).
MARTIN, M.W. and C.A. RYAN. High Yielding High Protein Potatoes, 385, (abst).
MARTIN, M.W. Use of Mass Selection in Early Stages of Potato Breeding, 386, (abst).
MARTINKA, C.A., *see* Smilowitz, Z.S.
MAUK, C.S. and A.R. LANGILLE. Effect of Induction on Zeatin Riboside Levels in the 'Katahdin' Potato Plant, 386, (abst).
MAZZA, G., *see* Mohyuddin, M.
McCOLLUM, G.D. and S.L. SINDEN. Inheritance study of Tuber Glycoalkaloids in *Solanum chacoense*, 386-7, (abst).
McCREADY, R.M., *see* Weaver, M.L.
McDOLE, R.E. Potassium fertilizer trials with potatoes on coarse-textured soils in southeastern Idaho, 161-170.
McDOLE, R.E. and C.E. DALLIMORE. Continuation of cropping sequence studies on coarse textured soils in southeastern Idaho, 221-226.
McDOLE, R.E. and G.M. McMASTER. Effects of moisture stress and nitrogen fertilization on tuber nitrate-nitrogen content, 611-619.
McDOLE, R.E., G.F. STALLKNECHT, R.B. DWELLE and J.J. PAVEK. Response of four potato varieties to potassium fertilization in a seed growing area of eastern Idaho, 495-504.
McKAY, H.C., *see* Pavek, J.J.
McKINNEY, M. Some Costs Associated with Potato Degradation during Storage, 387, (abst).
McMASTER, G.M., *see* McDole, R.E.
MEISINGER, J.J., D.R. BOULDIN and E.D. JONES. Potato yield reductions associated with certain fertilizer mixtures, 227-234.
MERRIAM, D.C., *see* Manzer, F.E.
MOHYUDDIN, M. and G. MAZZA. Determination of Potato protein by alkali-phenol, dye-binding and other methods, 621-626.
MONDY, N.I., *see* Chandra, S.
MOORE, F.D., III, *see* Hartz, T.K.
MOSHER, P., *see* MacGillivray, M.E.
MOSLEY, A.R., R.C. ROWE and T.C. WEIDENSAUL. Relationship of foliar ozone injury to maturity classification and yield of potatoes, 147-153.
MUNETA, P., *see* Cheng, F.C.
MUNETA, P. and S. JENNINGS. Single and double dip peeling of potatoes with potassium hydroxide, 505-510.

MURPHY, H.J., *see* Webb., R.E.
NAGEL, C.W. *see* Owings, T.R.
NELSON, G.A. Survival of *Corynebacterium sepedonicum* on contaminated surfaces, 449-452.
NG, K.C., *see* Sayre, R.N.; Weaver, M.L.
NIELSEN, L.W. *Erwinia* species in the lenticels of certified seed potatoes, 671-676.
den NIJS, T.P.M., E.F. LEUE, M. IWANAGA and S.J. PELOQUIN. Detection of the Mode of 2n Egg Formation by Pollen Stainability Distributions, 387-8, (abst).
NIMNOI, P.N., *see* Hooker, W.J.
NONAKA, M., *see* Weaver, M.L.
NORRIS, K.H., *see* Finney, Jr., E.E.
NYLUND, R.E., *see* Holm, D.G.
OHMS, R.E., *see* Pavek, J.J.
O'KEEFE, R.B. Genotype and Environmental Effects on Glycoalkaloid Content in Potatoes, 388, (abst).
OORAIKUL, B. Some characteristics of the freeze-thaw process for potato granule production, 171-181.
ORR, P.H., *see* Lulai, E.C.; Toma, R.B.
OWINGS, T.R., W.M. IRITANI and C.W. NAGEL. Respiration rates and sugar accumulation in normal and moisture stressed Russet Burbank potatoes, 211-220.
PAVEK, J.J., *see* McDole, R.E.
PAVEK, J.J., D.L. CORSINI, D.R. DOUGLAS, R.E. OHMS, J.G. GARNER, H.C. McKAY, C. STANGER, G.E. VOGT, W.D. SPARKS, R. KUNKEL, J.R. DAVIS, A.J. WALZ, C.E. DALLIMORE and J. AUGUSTIN. Butte: A long Russet potato variety with excellent dehydrating quality, 685-690.
PEARCE, G., *see* Ryan, C.
PELOQUIN, S.J., *see* den Nijs, T.P.M.
PERRY, J.B., *see* Slack, S.A.
PETERSON, A.C., JR. and K.W. KNUTSON. Effect of Photoperiod on Tuber Production of Rooted Stem Cuttings, 388-9, (abst).
PHILLIPS, J.A. and A. KELMAN. Tracing the Dissemination of *Erwinia carotovora* from an Inoculum Source with a Direct Fluroescent Antibody Technique, 389, (abst).
POAPST, P.A., I. PRICE and F.R. FORSYTH. Controlling post storage greening in table stock potatoes with ethoxylated mono- and diglyceride surfactants and an adjuvant, 35-42.
PORTER, C.W. Recent Trends in Potato Use, 389-90, (abst).
POTTER, H.S., *see* Cargill, B.F.
PRICE, I., *see* Poapst, P.A.
REEVE, R.M., *see* Weaver, M.L.
RIDLEY, S.C., J.H. VON ELBE and J.A. SCHOENEMANN. Evaluation of New Potato Varieties for Use in Canning, 390-1, (abst).
ROCA, M.R., *see* Roca, W.M.
ROCA, W.M., N.O. ESPINOZA, M.R. ROCA and J.E. BRYAN. A tissue culture method for the rapid propagation of potatoes, 691-701.
ROWBERRY, R.G., *see* Johnston, G.R.
ROWE, R.C., *see* Mosley, A.R.
RUHDE, R.W., *see* Hanneman, R.E., Jr.
RYAN, C.A., *see* Martin, M.W.
RYAN, C. and G. PEARCE. Proteinase inhibitor proteins as genetic markers for identifying high protein potato clones, 351-358.
RYKBOST, K.A. Effects of Misses on Yield, Quality, and Crop Value of Russet Burbank Potatoes Grown in the Upper Saint John Valley of New Brunswick, 391, (abst).
SANFORD, J.C. and R.E. HANNEMAN, JR. Generation and Cytoplasmic Effects on Yield in Diploid Populations of *Solanum tuberosum*, 391, (abst).
SANFORD, L.L. *see* Sinden, S.L.
SAYRE, R.N., *see* Weaver, M.L.
SAYRE, R.N. and K.C. NG. A rapid method of analysis for oil, potato solids and moisture in frozen French fries, 25-33.

SCHAPER, L., *see* Yaeger, E.C.
SCHAPER, L.A. and J.L. VARNS. Carbon dioxide accumulation and flushing in potato storage bins, 1-14.
SCHIMMELPFENNIG, H.G., *see* MacKenzie, D.R.
SCHIPPERS, P.A. The Nutrient Flow Technique as a Research Tool in the Study of Transpiration and Nutrient Uptake of Potatoes, 392, (abst).
SCHMIEDICHE, P.E. Prospects of New Tetraploid *S. curtilobum* in Breeding for Frost Resistance, 392, (abst).
SCHOENEMANN, J.A., *see* Ridley, S.C.
SEIBLES, T.S. Studies on the Globulin Proteins of the Potato Tuber, 392-3, (abst).
SEKIOKA, T.T., *see* Ito, P.J.
SELLECK, G.W. and J.F. CREIGHTON. Candidates for Vine Killing in Potatoes, 393, (abst).
SELLECK, G.W. Herbicide Treatments and Potato Cultivar Interaction for Weed Control, 393-4, (abst).
SEMENIUK, P., *see* Goth, R.W.
SHAW, R.L., *see* Augustin, J.; Toma, R.B.; True, R.H.
SHEKHAR, V.C. and W.M. IRITANI. Starch to sugar interconversion in *Solanum tuberosum* L.: I. Influence of inorganic ions, 345-350.
SHEKHAR, V.C., W.M. IRITANI and R. ARTECA. Changes in ascorbic acid content during growth and short-term storage of potato tubers (*Solanum tuberosum* L.), 663-670.
SHEKHAR, V.C., W.M. IRITANI and J.P. MAGNUSON. Starch-Sugar Interconversion in *Solanum tuberosum* L. Influence of Membrane Permeability and Fluidity, 394, (abst).
SHUMAKER, J.R., *see* Webb, R.E.
SIDES, S.E., *see* Hallee, N.D.
SINDEN, S.L., *see* McCollum, G.D.
SINDEN, S.L., R.E. WEBB and L.L. SANFORD. Genetic Potential for Increasing Ascorbic Acid Content in Potatoes, 394-5, (abst).
SLACK, S.A., *see* Khan, M.A.; Slattery, R.J.
SLACK, S.A., A. KELMAN and J.B. PERRY. Evaluation of Agglutination, Ouchterlony Double Diffusion, and Indirect Fluorescent Antibody Stain Techniques for Serodiagnosis of *Corynebacterium sepedonicum*, 395, (abst).
SLATTERY, R.J. and S.A. SLACK. Integration of Disease Testing with the Leaf-Bud Cutting Procedure for the Production of Nuclear Class Seed, 395-6, (abst).
SMILOWITZ, Z.S., *see* Whalon, M.E.
SMILOWITZ, Z., S.H. LECRONE, C.A. MARTINKA, T.P. MACK and M.E. WHALON. Development of an Integrated Pest Management System for Green Peach Aphid on Tablestock and Processing Potatoes in Pennsylvania, 396, (abst).
SMITH, D.R., *see* Thomas, P.E.
SNYDER, J. and S. DESBOROUGH. Protein, starch, and non-protein nitrogen accumulation in high protein hybrids and low protein cultivars, 453-465.
SOLTANPOUR, P.N. and C.V. COLE. Ionic balance and growth of potatoes as affected by N plus P fertilization, 549-560.
SOWOKINOS, J.R. A Rapid Sucrose-Rating (SR) Test for Measuring Processing Potato Maturity: Theory, Technique and Application, 396-7, (abst).
SOWOKINOS, J.R. Relationship of harvest sucrose content to processing maturity and storage life of potatoes, 333-344.
SPARKS, W.C., *see* Pavek, J.J.
STALLKNECHT, G.F., *see* Dwelle, R.B.; McDole, R.E.
STANGER, C., *see* Pavek, J.J.
STORCH, R.H., J.A. FRANK and F.E. MANZER. Fungi associated with Collembola and mites isolated from scabby potatoes, 197-201.
TAI, W., *see* Hooker, W.J.
TEITZEL, C., *see* Augustin, J.; True, R.H.
THOMAS, P.E. and D.R. SMITH. Control of Potato Volunteers to Achieve Virus Control, 397, (abst).

THOMAS, P.E. and L.M. ZIELINSKA. Diagnosis of Potato Leafroll Virus Infection by Staining Leaflets with Iodine, 397-8, (abst).
THOMPSON, N., *see* Ledebuhr, R.L.
THORNTON, R.E., *see* Hyde, G.M.
THORNTON, R. Potato Harvester Operation, or — MASHED, 398, (abst).
TIMM, H., *see* Weaver, M.L.
TINGEY, W.M., J.D. MacKENZIE and P. GREGORY. Total foliar glycoalkaloids and resistance of wild potato species to *Empoasca fabae* (Harris), 577-585.
TOMA, R.B., *see* Augustin, J.; True, R.H.
TOMA, R.B., J. AUGUSTIN, P.H. ORR, R.H. TRUE, J.M. HOGAN and R.L. SHAW. Changes in the nutrient composition of potatoes during home preparation: I. Proximate composition, 639-645.
TOWILL, W.B., *see* Johnston, G.R.
TRUE, R.H., *see* Augustin, J.; Toma, R.B.
TRUE, R.H. and E.S. BARDEN. The effect of Imidan on the flavor of riced baked potatoes, 437-439.
TRUE, R.H., J.M. HOGAN, J. AUGUSTIN, S.R. JOHNSON, C. TEITZEL, R.B. TOMA and R.L. SHAW. Mineral composition of freshly harvested potatoes, 511-519.
VARNS, J.L. *see* Schaper, L.A.
VOGT, G.E., *see* Pavek, J.J.
von ELBE, J.H. *see* Ridley, S.C.; Woychik, R.P.
WALZ, A.J., *see* Pavek, J.J.
WATTS, J., *see* Webb, R.E.
WEAVER, M.L., H. TIMM, M. NONAKA, R.N. SAYRE, K.C. NG and L.C. WHITEHAND. Potato composition: III. Tissue selection and its effects on total nitrogen, free amino acid nitrogen and enzyme activity (polyphenolase, monophenolase, peroxidase and catalase, 319-331.
WEAVER, M.L., H. TIMM, M. NONAKA, R.N. SAYRE, R.M. REEVE, R.M. McCREADY and L.C. WHITEHAND. Potato composition: I. Tissue selection and its effects on solids content and amylose/amylopectic ratios, 73-82.
WEAVER, M.L., H. TIMM, M. NONAKA, R.N. SAYRE, R.M. REEVE, R.M. McCREADY and L.C. WHITEHAND. Potato composition: II. Tissue selection and its effects on total sugar, total reducing sugar, glucose, fructose and sucrose contents, 83-93.
WEBB, R.E., *see* Sinden, S.L.
WEBB, R.E., and D.R. WILSON. *Solanum demissum* P.I. 230579, a true seed diagnostic host for potato virus Y, 15-23.
WEBB, R.E., D.R. WILSON, J.R. SHUMAKER, B. GRAVES, M.R. HENNINGER, J. WATTS, J.A. FRANK and H.J. MURPHY. Atlantic: A new potato variety with high solids, good processing quality, and resistance to pests, 141-145.
WEIDENSAUL, T.C., *see* Mosley, A.R.
WEIGAND, K.B. and C.O. ANDREW. The economic potential for stabilizing the price and supply of a basic foodstuff: The case for potato storage in Ecuador, 183-195.
WELLER, L.D., *see* Iritani, W.M.
WENDT, C.W., *see* Lipe, W.N.
WHALON, M.E., *see* Smilowitz, Z.S.
WHALON, M.E. and Z. SMILOWITZ. A Temperature-Dependent MODEL for Predicting Green Peach Aphid Populations: Implementation in Pennsylvania's Potato Pest Management System, 398, (abst).
WHITEHAND, L.C., *see* Weaver, M.L.
WILSON, D.R., *see* Webb, R.E.
WOYCHIK, R.P., J.H. VON ELBE and O. FENNEMA. Accumulation of Reducing Sugars and Sucrose in Potatoes after Slow Cooling and Subsequent Cold Storage in an Atmosphere Containing 5 percent CO_2, 399, (abst).
YAEGER, E. Coefficients of Friction and Angles of Repose of Wet and Dry Potatoes, 399, (abst).
YAEGER, E. Pressure Induced Flattening of Potatoes Due to Vertical Pile Pressures, 399-400, (abst).

YAEGER, E.C. and L. SCHAPER. The Influence of Bin Wall Designs Due to Horizontal Pressure Patterns in Stored Potatoes, 400, (abst).
YANG, T.C., *see* Hooker, W.J.
ZIELINSKA, L.M., *see* Thomas, P.E.

SUBJECT INDEX

Air pollution injury, 147
Aphid transmission of leaf roll, 131, 134
Ammonia toxicity, 227
Amylose-amylopectin ratio, 73, 77, 79
Antitranspirants, 203
Ascorbic acid, 394, 653, 655, 656, 657, 663, 689
Blackspot, 240
Breeding for high protein content, 453
  Alkali-phenol reaction, 621
  Dye-binding, 621
  Globulin proteins, 392
  High protein, 385
  High protein clones, 351, 453
  Potato protein, 621
  Protein selection, 351, 453
  Protein separation, 459
Bruise incentive payments, 379
Canning potatoes, 390
Catalase, 319
Certified seed 1976-77, 274
  Officials and agencies-certified seed 1977, 287
CEPS system for dehydration, 373
Chemical elements in tubers
  Aluminum, 513, 514, 515
  Boron, 513, 514, 515
  Calcium, 513, 514, 515, 518, 549, 555, 557, 558
  Chlorine, 157, 549, 555, 557, 558
  Copper, 513, 514, 516, 518
  Iodine, 513, 514, 516, 518
  Iron, 513, 514, 516, 518
  Magnesium, 513, 514, 516, 518, 549, 555, 557, 558
  Manganese, 513, 514, 516
  Molybdenum, 513, 514, 516
  Phosphorus, 513, 514, 516, 518
  Potassium, 161, 441, 513, 514, 516, 549, 555, 557, 558
  Selenium, 513, 514, 516
  Sodium, 513, 514, 516, 549, 555, 557, 558
  Zinc, 513, 514, 516, 518
Chemicals
  Alachlor, 393
  Aldosperse MS-20, 35
  AmChem 74-A335, 203
  Ametryn, 393
  Benlate, 58
  C-22, 374
  Captan, 382
  Chlorbromuron, 393
  CIPC, 155
  Clor, 374
  Consan 20, 374
  Dichloropropene, 251
  Dinoseb, 393
  Diquat, 393
  DMTT, 251
  Endothall, 393
  EPTC, 393

Folicote, 203
Formaldehyde, 374
Linuron, 393
Maleic hydrazide, 397
Metribuzin, 393
Injury, 689
Myvatex Type 3-50, 173
Napropamide, 385
Paraquat, 393
PCNB, 58, 373
Pebulate, 385
Physan 20, 374
Rindite, 395
Roccal, 374
TCNB, 382
Telone, C, 397
Terraclor, 57
Thiabendazole, 155, 382
Trifluralin, 393
Shell D-D, 221
Starfol D, 37
UBI-252, 393
UBI-1126, 393
UBI-1201, 393
Coefficients of friction and angle of repose, 399
Composition of potatoes
Mineral composition, 511
Nutrient composition, 639
Tuber composition, 73, 319, 453
Control of:
Greening, 35
Potato volunteers, 397
Critical photoperiod, 43, 386, 388
Crop loss tables, 545, 546
Crop rotation and disease, 221
Cyclical wholesale price variation, 185
Day length, 43
Diagnostic hosts, 15, 249
"A6", 16
Dilution of inoculum, 20
Diseases
Blackleg, 479, 484, 671, 689
Early blight, 689
Fusarium rot, 155, 689
Late blight, 689
Ring-rot, 374
Scab, 689
Verticillium wilt, 689
Disease organisms
Bacteria
Corynebacterium spp., 395
Corynebacterium sepedonicum, 395, 449
Erwinia
carotovora, 64, 108, 383, 389, 492, 493, 671
chrysanthemi, 383
atroseptica, 64, 383, 395, 479, 492, 493, 671
Pseudomonas solanacearum, 395

Fungi
Actinomycete sp., 200, 201
Aspergillus sp., 201
Aureobasidium sp., 200
Botrytis, 55
Cephalosporium, sp., 200
Colletotrichum, 55
Fusarium, 55, 382
Fusarium roseum sambucinum, 197
Isaria sp., 201
Penicillium sp., 200
Phoma, 55
Phytophthora infestans, 107, 384, 541, 575
Rhizoctonia solani, 55, 107, 108, 197, 375
Streptomyces, 197, 200, 201
scabies, 55, 108, 197, 373, 386
Thanatephorus cucumeris, 55
Trichoderma sp., 200
Verticillium, 224
albo-atrum, 197, 200, 240
sp., 201
Mycoplasms, 55
Virus
Virus A, 15, 126
Calico, 15
Corky ringspot, 689
Leafroll, 108, 384, 397, 689
Diagnosis of:
Comparison of methods, 136
Igel-Lange test, 63
Iodine test, 397
Purification of, 125
Net necrosis, 689
Virus M, 15, 126
Virus S, 15, 126, 375, 381, 395, 601, 627
Spindle tuber viroid, 15, 108, 378, 395
Tobacco rattle virus, 249
Virus X, 15, 107, 126, 251, 378, 381, 395, 601, 627, 689
Virus Y, 15, 19, 20, 21, 22, 107, 126, 689
Age of assay plants, 19
Local lesions, 17
Temperature and lesion expression, 20
Yellow dwarf, 15
Effect of misses on yield, 391
Efficiency of water use, 203, 373
Moisture stress, 211, 215, 345, 611
Transpiration, 203
Errata, 182
Fertility level, 663
Fertilizer
Diammonium phosphaté, 231
H_2PO_4, 549, 555, 557, 558
Injury, 227
K fertilization, 495
Nitrogen, 549, 555, 557, 558
Nitrogen fertilization, 611
Nitrogen sources, 467
NO_3, 549, 555, 557, 558

SO_4, 549, 555, 557, 558
Soil test K, 161, 495
Tissue test K, 161, 265, 495
Trials, 161, 239, 495
Total N, 319
Field seeding of true potato seed, 385
Flavor of potatoes, 437
Flow chart for freeze-thaw process, 175
Free amino acid nitrogen, 319
Freeze-thaw process, 171
French fries, 25
Moisture in french fries, 25
Frost resistance, 392
Frying oil, 25
Glycoalkaloids, 386, 388, 579, 689
Analysis, 579
Determination, 247
Greening of tubers, 35
Hollow heart, 95, 689
Horizontal pressure patterns, 399
Inoculum density, 479
Insect dissemination of blackleg, 389
Insecticides
Aldicarb, 385, 396
Carbaryl, 396
Imidan, 437
Methamidophos, 385, 396
Pirimicarb, 396
Systemic insecticide, 396
Insects
Collembola, 197
Empoasca fabae, 577
Epitrix cucumeris, 198, 437
harilana rubia, 595
hirtipennis, 595
Folsomia elongata, 199
fimetaria, 199
Leptinotarsa decemlineata, 437, 578, 596
Macrosiphum euphorbiae, 437
Myzus persicae, 127, 197, 384, 396, 398
Onychiurus subtenius, 199
Pnyxia scabiei, 198
Immunological protein detection, 351
Invertase-inhibitor binding rates, 371
IQF potato slices stored up to 12 months, 372
Irrigation, 203, 373
Jelly end tubers, 689
Late blight forecasting, 384
Blitecast, 385
Leaf-bud cuttings, 395
Maine potato farms size and number, 359
Manpower needs in packing, 372
Mite
Rhizoglyphus sp., 199
Monophenalase, 319
Nematode
Trichodorus sp., 250
Nutrient composition, 653

Nutrient flow technique, 392
Nutrient interaction, 265
Ozone concentration, 149
Ozone sensitivity, 147
PAA
Annual business meeting minutes, 410
Banquet highlights, 368
Call for papers for 63rd meeting, 650, 705
Call for nominations for honorary life membership, 594, 651
Editor's report, 419
Executive committee minutes, 401, 407, 408
Graduate student awards, 592
GRIP project reports, 647, 649
Honorary Life Members,
Rodney C. Hastings, 533
Floyd Lower, 535
Earl F. Spencer, 531
Membership list, 473
Membership Secretary's report, 421
Obituaries
Edward W. Owens, 539
Otto E. Schultz, 423
Papers published in Potato Research 1977, 527
Potato Pathology Section
1977 Winter meeting, 60
1977 July meeting, 62
1978 July meeting, 587
Program 62nd annual meeting, 111
Rhizoctonia conference, 55
Sections and committees, 521
63rd Annual meeting, 530
Treasurer's report, 470
Peroxidase, 319
Pest management, 384, 396, 398
Petiole analyses for N, P, K, Ca, Fe, Mg, Zn, Cu, Al, Mn, B, 265, 295
Petiole vs. tuber nitrate-nitrogen, 611
Plant species
Amaranthus albus, 254
powellii, 253, 254, 255
retroflexus, 249, 254, 255
Ascophyllum nodosum, 374
Capsella bursa-pastoris, 225
Chenopodium album, 254, 255
quinona, 16, 22, 375, 628
Chrysanthemum, 700
Cuscuta campestris, 225
Datura, 125, 127
metel, 16
stramonium, 63, 125, 127
Echinochloa crus-galli, 391
Erodium cicutarium, 255
Euphorbia esula, 254
Fucus vesiculosis, 374

Gomphrena globosa, 16, 22, 251, 628
Lycopersicon, 578
esculentum, 16, 22, 595
hirsutum, 595
Malva rotundifolia, 254, 255
Medicago sativa, 252, 255
Nicotiana debneyi, 16, 628
tabacum, 16, 249, 251, 628
Panicum capillare, 254
Portulaca oleracea, 249, 254, 255
Petunia hybrida, 251
Phaseolus vulgaris, 15, 22, 249, 251
Physalis, 125
floridana, 63, 127
Polygonum aviculare, 255
persicaria, 255, 393
Raphanus sativus, 127
Salsola kali, 254
Scopolia sinensis, 16
Sisymbrium altissimum, 255
Strawberry, 700
Tragopogon pratensis, 254
Tribulus terrestris, 255
Trifolium pratense, 255
Tropaeolum major, 251
Verbascum thapsus, 254
Vinca rosea; 251
Xanthium strumarium, 255
Potato breeding
Andigena clones, 351
Endosperm balance, 380
4x-2x crosses, 259
Haploid, 259
Mass selection, 386
"S" alleles, 381
Sucrose rating procedure, 333
Triploid, 259
2n egg formation, 387
Yield in diploid populations, 391
Tuber bulking, 291
Potato chips
Oil content, 383
Quality, 333, 375, 376
Yield, 383
Potato cultivars
New: Atlantic, 141, 150, 372, 677, 680, 681, 682, 683
Pele, 573
Belchip, 537
BelRus, 538
Nipigon, 107
Old: Alamo, 672
Alma, 150

Andigena, 45, 693
Anoka, 150
Anita, 574
Antarqui, 595
Bake-King, 231
Batoche, 624
Belleisle, 150
Bison, 301, 342
Butte, 495, 499, 500, 501, 685, 688, 689
Cascade, 301
Centennial, 150, 301, 512, 515, 516, 517
Cherokee, 141
Chieftan, 301, 335, 342
Chippewa, 231, 293
Earlaine, 141
Early Gem, 687
Epicure, 107
Green Mountain, 56
Hudson, 151, 393, 394
Haig, 150
Hindenburg, 107
Hi Plains, 150
Irish Cobbler, 301, 672
Katahdin, 107, 144, 151, 231, 314, 372, 381, 386, 392, 393, 394, 512, 515, 516, 517, 581, 601, 604, 606, 607, 632, 634, 640, 642, 643, 644, 657, 658, 659, 660, 672, 680, 681, 682, 683
Kennebec, 2, 11, 12, 36, 73, 83, 109, 151, 231, 266, 291, 299, 301, 319, 326, 327, 328, 335, 342, 375, 379, 398, 431, 456, 458, 462, 463, 464, 481, 512, 515, 516, 517, 561, 565, 566, 567, 575, 601, 604, 606, 607, 634, 663, 667, 669, 680, 681, 682, 683
La Soda, 672
Lenape, 73, 83, 141, 319, 326, 327, 328
Majestic, 11, 12
Mariva, 595
Menominee, 141
Monona, 11, 150, 335, 342, 372
Nampa, 151, 495, 499, 500, 501
Neo-Tuberosum, 45
Nooksack, 385
Norchip, 2, 12, 73, 83, 150, 291, 299, 301, 319, 326, 327, 328, 335, 342, 372, 383, 388, 512, 515, 516, 517, 561, 566, 567, 624, 632, 634, 640, 642, 643, 644, 658, 659, 660, 672,
Norgold, 301, 335, 342, 398, 512, 515, 516, 517
Norgold Russet, 96, 203, 374, 393, 624, 687
Norland, 56, 150, 291, 299, 301, 335, 342, 388, 390, 399, 456, 458, 462, 463, 464, 624, 632, 634, 672
Onaway, 150
Oneida, 632, 634
Ontario, 628, 632, 634, 687
Parnassia, 107
Pioneer, 561, 566, 567, 569
Populair, 687
Pungo, 144, 672

Red Pontiac, 151, 291, 299, 301, 335, 342, 388, 512, 515, 516, 517, 573, 640, 642, 643, 644, 658, 659, 660, 672
Red La Soda, 73, 83, 203, 319, 326, 327, 328, 631, 632, 634
Red McClure, 388, 481
Renacimiento, 595
Revolucion, 595
Richter's Jubel, 107
Rural New Yorker, 481
Russet Burbank, 11, 57, 58, 73, 83, 151, 211, 239, 291, 299, 301, 314, 319, 326, 327, 328, 345, 373, 379, 388, 391, 393, 394, 398, 399, 425, 441, 495, 499, 500, 501, 506, 512, 515, 516, 517, 551, 561, 564, 566, 567, 569, 601, 604, 606, 607, 613, 631, 632, 634, 640, 642, 643, 649, 657, 658, 659, 660, 663, 666, 667, 668, 669, 685, 688, 689
as Netted Gem, 171, 384, 450, 624, 640, 642
Russet Sebago, 632, 634
Sebago, 144, 151, 231, 672
Shurchip, 150
Smooth Rural, 11
Snow-chip, 150
Superior, 144, 150, 301, 393, 394, 512, 515, 516, 517, 632, 634, 672
Targhee, 151, 301, 495, 499, 500, 501, 561, 566, 567
Tobique, 624
Warba, 624
Wauseon, 141
White Rose, 57, 73, 83, 319, 326, 327, 329, 512, 515, 516, 517
Wischip, 150, 632, 634
Solanums
acaule, 378, 380, 392
berthaultii, 578, 581, 595
boliviense, 376
brachycarpum, 578, 581
brevidens, 376
bulbocastanum, 394, 577, 578, 581
cardiophyllum, 380
chacoense, 16, 141, 377, 380, 386, 388, 578, 581
commersonii, 376
curtilobum, 374, 392
demissum, 15, 380
etuberosum, 376
fernandezianum, 376
goniocalyx, 392
group andigena, 259
group phureja, 259, 693
hougasii, 578, 581
juzepczukii, 392
kurtzianum, 578, 581
medians, 578, 581
megistacrolobum, 380
microdontum, 376, 377, 578, 581
polyadenium, 577, 578, 581, 595
nigrum, 250
oplocense, 380
sarachoides, 249, 254, 255

spegazzinii, 376
sparsipilum, 377
stoloniferum, 376, 380, 394, 578, 581
tarijense, 376, 595
triflorum, 255
venturii, 376
vernei, 376
verrucosum, 376, 380
Plastic mulch, 380
Plot harvester for potatoes, 235
Polyphenolase, 319
Potato granules, 171
Moisture and granulation, 171
Potato lipids, 441, 444
Potato peeling, 505
Potassium hydroxide, 505
Potato solids, 25
Precision tillage affects yield, 65
Prediction model for tuber yield, 265, 431
Prices of potatoes, 183
Processing quality, 677
Production smoothing, 183
Proteinase inhibitors, 351
PSTV affects germination of tomato pollen, 378
Respiration of tubers
Rate, 211, 215
Weight loss, 378
Retail shipping/display unit, 307
Screening for tuberization, 43
See-through containers, 35
Shake culture, 697
Shoot tip culture, 691
Sink strength, 291
Size of tuber in relation to hollow heart, 99
Soil fumigation, 221, 224
Solids content of potatoes, 78
Specific gravity, 207, 225, 383
Specific gravity and K, 161, 501
Speckle leaf, 147
Stem cuttings, 43, 388
Stepwise regression, 293, 431
Storage, 663
Bin cooling, 383
Bulk storage research needs, 371
CO_2 accumulation, 1
CO_2 analysis, 1
CO_2flushing from storage, 1
CO_2 in storage, 399
Effect of CO_2 on, 1
Fan operation, 1
Reconditioning from storage, 425
Slow cooling, 399

Storability, 677
Storage in Ecuador, 183
Storage prediction, 333
Storage temperature, 211, 242
Ventilation, 1
Suberization, 1, 383
Sugar
Fructose, 83, 85, 90
Glucose, 83, 85, 87, 90
Reducing sugar, 83, 85, 89, 215, 242, 345, 399, 425, 689
Respiration-temperature affecting sugar content, 561
Starch to sugar conversion, 379
Sucrose, 83, 85, 91, 242, 333
Sucrose rating test, 396
Sugar accumulation, 211
Sugar conversion
Influence of inorganic ions, 345
Membrane permeability and fluidity, 394
Total sugar, 83, 85, 86, 88
Tissue culture, 691
Translucent end tubers, 212
Trends in potato use, 389
Trimming costs, 387
Tuber induction, 43, 386
Tuber initiation, 43, 386
Tuberization, 43
Unitized and palletized shipping, 307
UV irradiation, 375
Vertical pile pressure, 399
Vitamins in tubers, 655
B_6, 653, 655, 656, 660
Folic acid, 653, 655, 656, 659
Niacin, 653, 655, 656, 659
Riboflavin, 653, 655, 656, 658
Thiamin, 653, 655, 656, 658
Virus free seed potatoes, 601
Virus indexing, 627
Agglutination, 395
Density gradient centrifugation, 129
Fluorescent antibody stain, 395
Latex agglutination test, 380, 627
Ouchterlony double-diffusion, 129, 252, 395
Polyacrylamide gel electrophoresis, 395
Serodiagnosis, 395, 627
Serological tests, 129, 627
Serological blocking, 129
Serologically specific electron microscopy, 129, 252
Weight of tuber in relation to hollow heart, 100
X-ray scan for hollow heart, 95
Yellow pan traps, 384
Yield loss, 541
Zeatin riboside, 386